

NeoNxGen™ Thermal Management Solutions

TECHNICAL DATA SHEET 600

Product Overview

eGRAF® NeoNxGen™ thermal management solutions family of products have been designed to provide a high performance, thick flexible graphite material for the most demanding thermal management challenges in the consumer electronics, medical, automotive, and energy storage applications. This new type of high-performance graphite enables single layer solutions where multiple layers of graphite were previously required. NeoNxGen graphite can be die-cut, or laminated with plastics and/or adhesives etc. to create easy to install solutions.

Typical Properties^[1]

CHARACTERISTIC	UNIT	N-80	N-100	N-150	N-200	N-270
Thickness*	mm	0.080 ± 0.010	0.100 ± 0.010	0.150 ± 0.010	0.200 ± 0.010	0.270 ± 0.010
Thermal Conductivity ^[2] In Plane • Through-Plane	W/mK	900 • 4.5	1100 • 4.5	1100 • 4.5	1100 • 4.5	1100 • 4.5
Roll Width*	mm	240	240	200	240	200
Roll Length*	m			100		
Density	g/cm ³			2.0		
Bend Cycling ^[3] R4mm, 185°	cycles	>200,000 with No Change in Thermal Resistance				
Flammability Rating	UL			94 V-0		
Operating Temperature	°C			-40 to +400		
Lead / Halogen Free	-			Yes		
RoHS Compliant	-			Yes		

Notes:

[1] Properties listed are typical and cannot be used as acceptance or rejection criteria. Product characteristics exclude coatings and adhesives.

[2] In-plane thermal conductivity determined by 'NeoGraf Standard Method for Determination of Thermal Conductivity'; through-plane thermal conductivity determined using ASTM D5470 Modified method.

[3] Based on 'Bend Cycling Test Report NeoGraf N-150' conducted by Intel® Corporation, December 2019.

* Customized thickness and roll dimensions may be available

LEAD. CREATE. CONNECT.

+1 (800) 253.8003 (Toll-Free in USA) | +1 (216) 529.3777 (International)
www.neograf.com | info@neograf.com

©2020 NeoGraf Solutions, LLC (NGS). This information is based on data believed to be reliable, but NGS makes no warranties, express or implied, as to its accuracy and assumes no liability arising out of its use. The data listed falls within the normal range of product properties, but should not be used to establish specification limits or used alone as the basis of design. NGS's liability to purchasers is expressly limited to the terms and conditions of sale. eGRAF®, NeoNxGen™, SPREADERSHIELD™, HITHERM™, GRAFGUARD®, GRAFOIL®, GRAF+® and GrafHX® are registered trademarks of NeoGraf Solutions, LLC. eGRAF®, NeoNxGen™, SPREADERSHIELD™, HITHERM™, GRAFGUARD®, GRAFOIL®, GRAF+® and GrafHX® products, materials, and processes are covered by several US and foreign patents. For patent information visit www.neograf.com.

1.31.2020