

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

GrafGuard® Expandable Graphite

Registration number

Synonyms None. 0067 SDS number

Product number Grades - GG160-50N, 160-80N, 180-60N, 200-100N, 220-50N, 250-50N, 220-80N, 220-80B,

280-50N, 210-200N, FG123

Issue date 25-June-2020

Version number

Revision date 25-June-2020

Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

Fire retardant material. Identified uses

04

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier NeoGraf Solutions, LLC

> 11709 Madison Ave Lakewood, OH 44107 +1 216-529-3777

Contact person Product Responsibility Manager +1 216-529-3724

E-mail info@neograf.com

Emergency telephone

number

For Chemical Emergency ONLY, call 3E at:

+44-20-35147487, +1-760-476-3961

Access Code: 333366

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Not classified for health hazards. However, occupational exposure to the mixture or substance(s) **Hazard summary**

may cause adverse health effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Sulphuric acid, compound with graphite

None. **Hazard pictograms** Signal word None

The mixture does not meet the criteria for classification. **Hazard statements**

Precautionary statements

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling

Store away from incompatible materials. Storage

Dispose of waste and residues in accordance with local authority requirements. **Disposal**

Supplemental label information

2.3. Other hazards Expandable graphite may contain impurities of crystalline silica (quartz CAS 14808-60-7) which is

listed by IARC as Group 1 carcinogen and by ACGIH as A2 (suspected human carcinogen).

Not a PBT or vPvB substance or mixture.

GrafGuard® Expandable Graphite SDS UK

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Sulphuric acid, compound with graphite	> 93	12777-87-6 235-819-4	01-2119514421-54-0004	-	
Classification: -					
Natural Impurities*	< 5	Not available	-	-	
Classification: -		-			

List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

Composition comments

*Third-party analysis found that any naturally occurring Respirable Crystalline Silica (RCS) that may exist as an impurity in this substance is inextricably bound, environmentally unavailable and at de minimis concentration. Thus, in its current and anticipated future physical state, the substance is incapable of causing toxicologically relevant RCS exposure under either normal conditions of use or in case of extreme upset.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eve contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms

and effects, both acute and

delayed

Exposure may cause temporary irritation, redness, or discomfort.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

Keep unnecessary personnel away.

For emergency responders

personnel

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

SDS.

6.2. Environmental precautions Avoid discharge into drains, water courses or onto the ground.

GrafGuard® Expandable Graphite SDS UK 6.3. Methods and material for containment and cleaning up

The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk.

6.4. Reference to other

sections

For personal protection, see section 8 of the SDS, For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any

Store in tightly closed container. Store away from incompatible materials (see section 10 of the

SDS)

incompatibilities

7.3. Specific end use(s) Fire retardant material.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

United Kingdom Components	Туре	Value	Form
Sulphuric acid, compound with graphite (CAS 12777-87-6)	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Inhalable dust.

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

_ . .

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Black solid.
Physical state Solid.
Form Solid (flake).
Colour Black.

Odour Slight acidic.
Odour threshold Not available.
pH Not applicable.

GrafGuard® Expandable Graphite
943399 Version #: 04 Revision date: 25-June-2020 Issue date: 25-June-2020

Melting point/freezing point > 2760 °C (> 5000 °F) / Not applicable.

Initial boiling point and boiling

range

Not applicable.

Flash point Not applicable. **Evaporation rate** Not applicable. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not applicable.

Not applicable.

Not available.

Flammability limit - upper

(%)

Not applicable. Vapour pressure Vapour density Not applicable. No data available. Relative density Insoluble in water. Solubility(ies)

Partition coefficient (n-octanol/water)

Auto-ignition temperature Not applicable. **Decomposition temperature** Not applicable. **Viscosity** Not available. Not explosive. **Explosive properties** Not oxidising. Oxidising properties

9.2. Other information

Bulk density 0.6 - 1 g/cc

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous

No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

No data available. **Acute toxicity**

Skin corrosion/irritation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Serious eye damage/eye

irritation

Respiratory sensitisation Based on available data, the classification criteria are not met. Skin sensitisation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Germ cell mutagenicity Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Specific target organ toxicity -

single exposure

GrafGuard® Expandable Graphite 943399 Version #: 04 Revision date: 25-June-2020 Issue date: 25-June-2020 Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Due to partial or complete lack of data the classification is not possible. **Aspiration hazard**

Mixture versus substance

information

No information available.

Not available. Other information

SECTION 12: Ecological information

Due to partial or complete lack of data the classification for hazardous to the aquatic environment, 12.1. Toxicity

is not possible.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

Partition coefficient

12.3. Bioaccumulative potential

Not available.

No data available.

n-octanol/water (log Kow)

Not available.

12.4. Mobility in soil

The product is insoluble in water.

12.5. Results of PBT and vPvB

Bioconcentration factor (BCF)

assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Dispose in accordance with all applicable regulations. Special precautions

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk

Not applicable.

according to Annex II of MARPOL 73/78 and the IBC

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed

GrafGuard® Expandable Graphite Version #: 04 Revision date: 25-June-2020 Issue date: 25-June-2020 Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Other regulations

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as **National regulations**

amended.

Not available.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

TWA: Time Weighted Average.

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any H-statements not written out in full under

Sections 2 to 15

None.

Training information

Follow training instructions when handling this material.

Disclaimer

NeoGraf Solutions cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to

assume liability for loss, injury, damage or expense due to improper use.

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

GrafGuard® Expandable Graphite

SDS UK